Attachment J01

Fort Leonard Wood Water Distribution System

Table of Contents

J01.2	Water Distribution System Description	J01-1
J01.2	.1 Water Distribution System Fixed Equipment Inventory	J01-1
	1.1 Water Distribution Description	
J01.2	.1.2 Water Distribution Inventory	J01-2
J01.2	2 Water Distribution System Non-Fixed Equipment and Specialized	
	Tools Inventory	
J01.2	.3 Water System Manuals, Drawings, and Records Inventory	J01-4
J01.3	Current Water Distribution Service Arrangements	J01-5
J01.4	Secondary Metering	J01-5
J01.4	.1 Existing Secondary Water Distribution Meters	J01-5
	2 Required New Secondary Water Distribution Meters	
J01.5	Monthly Submittals	J01-6
J01.6	Energy Savings and Conservation Projects	J01-7
J01.7	Service Area	J01-7
J01.8	Off-Installation Sites	J01-7
J01.9	Specific Transition Requirements	J01-8
J01.1	0 Water Distribution System Points of Demarcation	J01-9
J01.1	0.1 Unique Points of Demarcation	J01-11
J01.1	1 Treatment Plants, Wells, and Storage Tanks	J01-11
J01.1	2 Utility Response	J01-12
List of Tab	Fixed Inventory	
1	Water Distribution System – Fort Leonard Wood	IO1 2
2	Fixed Inventory	JU1-Z
2	Water Distribution System – Fort Leonard Wood	IO1_4
3	Specialized Equipment and Vehicles	
3	Water Distribution System – Fort Leonard Wood	I01-4
4	Manuals, Drawings, and Records	
•	Water Distribution System – Fort Leonard Wood	I01-4
5	Existing Secondary Meters	
	Water Distribution System – Fort Leonard Wood	J01-5
6	New Secondary Meters	
	•	
	Water Distribution System – Fort Leonard Wood	J01-6
7	Water Distribution System – Fort Leonard Wood Fixed Inventory	J01-6
7	•	
7 8	Fixed Inventory	

9	Service Connections and Disconnections	
	Water Distribution System – Fort Leonard Wood	J01-9
10	System Improvement Projects	
	Water Distribution System – Fort Leonard Wood	J01-9
11	Points of Demarcation	
	Water Distribution System – Fort Leonard Wood	J01-10
12	Unique Points of Demarcation	
	Water Distribution System – Fort Leonard Wood	J01-11
13	Water Treatment Plants, Wells and Storage Tanks	
	Water Distribution System – Fort Leonard Wood	J01-11

J01 Fort Leonard Wood Water Distribution System

J01.1 Fort Leonard Wood Area Overview

Fort Leonard Wood, Missouri is a U.S. Army Installation situated approximately 160 miles southeast of Kansas City and 120 miles southwest of St. Louis. The Fort is located in Pulaski County. Occupying approximately 61,425 acres in the south central Missouri countryside, Fort Leonard Wood was established in 1940 as a basic training center. The Fort was closed for a period in the 1950's. Currently the 3rd Training Brigade trains 16,000 soldiers annually. The U.S. Army Military Police School provides training to all branches of the military as well as government agencies and U.S. allies in areas of law enforcement. The Fort's population today is about 27,973 with 15,161 military and training personnel, 4,703 civilians and 8,109 family members. The Fort provides services to about 52,000 persons including retirees, their dependents and active duty personnel and their dependents.

J01.2 Water Distribution System Description

The Fort Leonard Wood water distribution system comprises all appurtenances physically connected to the system from the point in which the Government ownership currently starts to the point of demarcation defined in part J01.11 of this Section. The system may include, but is not limited to the intake, water treatment plant, wells, storage tanks, distribution piping and appurtenances. The following description and inventory is included to provide the Offeror with a general understanding of the size and configuration of the distribution system. Under no circumstances shall the successful Contractor be entitled to any rate adjustments based on the accuracy of the following description and inventory.

The Fort currently holds PWSID numbers MO3079599 and MO3079500. Water system permits may not be transferable. When the Contractor assumes operation of the water system(s), it is the responsibility of the Contractor to file an application for transfer of the permit or issuance of a new permit. The application must be received by the Missouri Department of Natural Resources in sufficient time for permit change prior to operation of the system by the contractor.

The Contractor shall comply with all applicable federal, state, and local regulations governing the operation of the water system.

J01.2.1 Water Distribution System Fixed Equipment Inventory

J01.2.1.1 Water Distribution Description

The water distribution system at Fort Leonard Wood consists of surface water supply, treatment, storage, wells, and piping. The original water distribution system dates back to the 1940's, but improvements have been made as needed since that time. Some of the improvements include: rebuilding the intake components such as the generator, diesel drive units, pumps, and controls; and installation of a generator, high service pumps (3.5 MGD capacity), and an updated telemetry system at the water treatment plant.

There are several isolated sites at Fort Leonard Wood which are served by wells and septic systems. The Fort also has a 6-inch finished water interconnection with the Town of St. Robert. This interconnection is only opened during emergencies. Raw water is furnished to the golf course for irrigation.

Backup emergency generators that serve specific equipment of the water system, such as the intake station, pumps and plants, shall be conveyed as part of that particular system.

J01.2.1.2 Water Distribution Inventory

Table 1 provides a general listing of the major water distribution system fixed assets for Fort Leonard Wood. The system will be sold in an "as is, where is" condition without any warrant, representation, or obligation on the part of Government to make any alterations, repairs, or improvements. Ancillary equipment attached to, and necessary for, operating the system, though not specifically mentioned herein, is considered part of the purchased utility.

Table 1
Fixed Inventory
Water Distribution System – Fort Leonard Wood

Item	Material	Size (inches)	Quantity	Unit	Approximate Yea of Construction
Piping					
	Unknown	<2	2,600	Linear Feet	1941
	Unknown	<2	6,360	Linear Feet	1942
	Unknown	<2	440	Linear Feet	1971
	Cast Iron	2	2,000	Linear Feet	1942
	Cast Iron	2	1,000	Linear Feet	1960
	Cast Iron	2	900	Linear Feet	1971
	PVC	2	600	Linear Feet	1990
	Asbestos Cement	3	1,200	Linear Feet	1965
	Asbestos Cement	3	1,200	Linear Feet	1966
	Asbestos Cement	3	1,200	Linear Feet	1971
	Cast Iron	3	3,000	Linear Feet	1941
	Cast Iron	3	3,000	Linear Feet	1942
	Cast Iron	3	500	Linear Feet	1965
	Cast Iron	3	500	Linear Feet	1966
	Cast Iron	3	500	Linear Feet	1971
	Asbestos Cement	6	9,100	Linear Feet	1957
	Asbestos Cement	6	15,100	Linear Feet	1960
	Asbestos Cement	6	4,100	Linear Feet	1961
	Asbestos Cement	6	11,100	Linear Feet	1962
	Asbestos Cement	6	4,100	Linear Feet	1965
	Asbestos Cement	6	5,100	Linear Feet	1966
	Cast Iron	6	17,700	Linear Feet	1941
	Cast Iron	6	15,000	Linear Feet	1942
	Cast Iron	6	10,000	Linear Feet	1957
	Cast Iron	6	15,000	Linear Feet	1960
	Cast Iron	6	5,000	Linear Feet	1961
	Cast Iron	6	12,000	Linear Feet	1962
	Unknown	6	1,000	Linear Feet	1941
	Unknown	6	1,000	Linear Feet	1942
	Unknown	6	1,000	Linear Feet	1957
	Unknown	6	1,000	Linear Feet	1960

** 1	_	1 000		10.61
Unknown	6	1,000	Linear Feet	1961
Unknown	6	1,000	Linear Feet	1962
Unknown	6	1,000	Linear Feet	1965
Unknown	6	1,000	Linear Feet	1966
Unknown	6	7,200	Linear Feet	1971
Unknown	6	7,100	Linear Feet	1978
Unknown	6	6,200	Linear Feet	1989
Asbestos Cement	8	5,000	Linear Feet	1957
Asbestos Cement	8	15,600	Linear Feet	1960
Asbestos Cement	8	4,500	Linear Feet	1961
Asbestos Cement	8	5,500	Linear Feet	1962
Asbestos Cement	8	3,000	Linear Feet	1965
Asbestos Cement	8	1,500	Linear Feet	1966
Asbestos Cement	8	13,000	Linear Feet	1971
Cast Iron	8	20,000	Linear Feet	1941
Cast Iron	8	20,000	Linear Feet	1942
Cast Iron	8	10,000	Linear Feet	1957
Cast Iron	8	7,500	Linear Feet	1960
Cast Iron	8	1,000	Linear Feet	1961
Cast Iron	8	1,000	Linear Feet	1962
Cast Iron	8	1,000	Linear Feet	1965
Cast Iron	8	1,000	Linear Feet	1966
Cast Iron	8	800	Linear Feet	1971
PVC	8	5,000	Linear Feet	1971
PVC	8	2,800	Linear Feet	1978
Asbestos Cement	10	600	Linear Feet	1969
Asbestos Cement	10		Linear Feet	1961
		4,300		
Asbestos Cement	10	1,100	Linear Feet	1962
Asbestos Cement	10	1,100	Linear Feet	1965
Asbestos Cement	10	1,100	Linear Feet	1966
Asbestos Cement	10	1,100	Linear Feet	1971
Asbestos Cement	10	1,100	Linear Feet	1978
Cast Iron	10	30,000	Linear Feet	1941
Cast Iron	10	16,000	Linear Feet	1942
Cast Iron	10	2,000	Linear Feet	1960
Cast Iron	10	1,500	Linear Feet	1961
Cast Iron	10	1,800	Linear Feet	1962
Cast Iron	10	1,000	Linear Feet	1965
Cast Iron	10	2,500	Linear Feet	1966
Cast Iron	10	4,500	Linear Feet	1971
Cast Iron	10	4,500	Linear Feet	1978
Unknown	10	500	Linear Feet	1941
Unknown	10	500	Linear Feet	1942
Unknown	10	700	Linear Feet	1960
Unknown	10	700	Linear Feet	1961
Unknown	10	600	Linear Feet	1962
Unknown	10	700	Linear Feet	1965
Unknown	10	500	Linear Feet	1966
Unknown	10	500	Linear Feet	1971
Unknown	10	1,000	Linear Feet	1978
Asbestos Cement	12	2,000	Linear Feet	1957
Asbestos Cement	12	11,300	Linear Feet	1960
Asbestos Cement	12	1,000	Linear Feet	1961
Asbestos Cement	12	9,200	Linear Feet	1962
Cast Iron	12	1,900	Linear Feet	1941
Cast Iron	12	23,000	Linear Feet	1942
Cast Iron	12	2,100	Linear Feet	1957
Cust IIOII	12	2,100	2111041 1 001	1757

	Cast Iron	12	7,000	Linear Feet	1960
	Unknown	12	100	Linear Feet	1941
	Unknown	12	600	Linear Feet	1942
	Unknown	12	100	Linear Feet	1957
	Unknown	12	100	Linear Feet	1960
	Unknown	12	100	Linear Feet	1961
	Unknown	12	100	Linear Feet	1962
	Asbestos Cement	16	3,200	Linear Feet	1961
	Cast Iron	16	9,100	Linear Feet	1942
	PVC	16	8,500	Linear Feet	1989
Piping Total			454,300	Linear Feet	
Building Services			1,547	Each	1941-present
Hydrants			666	Each	1941-present

J01.2.2 Water Distribution System Non-Fixed Equipment and Specialized Tools Inventory

Table 2 lists other ancillary equipment (spare parts) and **Table 3** lists specialized vehicles and tools included in the purchase. Offerors shall field verify all equipment and tools prior to submitting a bid. Offerors shall make their own determination of the adequacy of all equipment and tools. The successful Contractor shall provide any and all equipment, vehicles, and tools, whether included in the purchase or not, to maintain a fully operating system under the terms of this contract.

Table 2Spare Parts
Water Distribution System – Fort Leonard Wood

Qty	Item	Make/Model	Description	Remarks
None				

Table 3Specialized Equipment and Vehicles
Water Distribution System – Fort Leonard Wood

Description	Quantity	Location	Maker
Turbidometer	1	B. 1601	Hach
Floc Illuminator	1	B. 1601	PHS
Floc Illuminator, accessory	1	B. 1601	PHS
Incubator	2	B. 1601	RB
Microscope	1	B. 1601	AM OPT
Cabinet, Storage, Flammable	3	B. 1601	Eagle
Glassware, Lot	1	B. 1601	Various
Reagents, Lot	11	B. 1601	Various

J01.2.3 Water Distribution Utility System Manuals, Drawings, and Records Inventory

Table 4 lists the manuals, drawings, and records that will be transferred with the system.

Table 4
Manuals, Drawings, and Records
Water Distribution System – Fort Leonard Wood

Qty	Item	Remarks	
The instal	lation maintains a lin	ited collection of manuals, drawings and records on	installed components of the
water dist	ribution system. The	drawings are located in the library in Building 2201	. This information or copies
thereof w	ill be transferred duri	g the transition period.	

J01.3 Current Water Distribution Service Arrangements

The Main Post of Fort Leonard Wood currently receives all of its water supply from surface water and a well owned and operated by the Fort. There are also wells that serve outlying areas. There is a 6-inch connection to the Town of St. Robert for use in emergencies.

J01.4 Secondary Metering

The Fort may require secondary meters for internal billings of their reimbursable customers, utility usage management, and energy conservation monitoring. The Contractor shall assume full ownership and responsibility for existing and future secondary meters IAW Paragraph C.3.

J01.4.1 Existing Secondary Water Distribution Meters

Table 5 provides a listing of the existing (at the time of this report) secondary meters that will be transferred to the Contractor. The Contractor shall provide meter readings once a month for all secondary meters IAW Paragraph C.3 and J01.5 below.

Table 5Existing Secondary Meters
Water Distribution System – Fort Leonard Wood

Meter Location: Building Number	Description
Housing and Other Agencies	-
498-A	U.S. Post Office
498-C	Defense Printing Service
Trailer past airfield	City of Waynesville
9611-9619	Young Street
4110-4115	Quarters
4102-4104	Officer Quarters
4100-4101	Officer Quarters
310	Hospital (2)
311	Medical
312	Medical
318	Medical
319	Medical
320	Medical
404	Phone Exchange
494	Mid Missouri Credit Union
497	Greyhound Bus Company

499	Central Texas College
499	Columbia College
499	Drury College
499	Lincoln University
499	Park College
499	Webster University
500	Medical
885	Medical
1018	Corps of Engineers, Kansas City District
1200 area	Central Texas College
1608	Medical
2399	Medical
3200, 3 rd floor	University of Missouri – Rolla
4109	Officer Club
4625	1 Essayons
4626	2 Essayons
4627	3 Essayons
4628	4 Essayons
5002	Trans World Express
6501	Pershing
7391	NCO Club
8021	Wood Junior High
9000	Information Center
9606	Partridge School
9625	Pippin Youth Center

J01.4.2 Required New Secondary Meters

The Contractor shall install and calibrate new secondary meters as listed in **Table 6**. New secondary meters shall be installed IAW Paragraph C.13, Operational Transition Plan. After installation, the Contractor shall maintain and read these meters IAW Paragraphs C.3 and J01.5 below. The following table represents the total number of required new secondary meters at a minimum. Additional new secondary meters may be required.

Table 6 New Secondary Meters Water Distribution System – Fort Leonard Wood

Meter Location: Building Number	Description
Pence	Waynesville Schools
Pershing	Waynesville Schools
Pick	Waynesville Schools
Thayer	Waynesville Schools
Williams	Waynesville Schools
805	Davis Club
1382	MWR Car Wash 1
2030	Foster Lodge
2351	Boiler Plant and Laundry
4109	Pershing Club
7391	Audie Murphy Club

J01.5 Monthly Submittals

The Contractor shall provide the Government monthly submittals for the following: Invoice (IAW Paragraph G.2). The Contractor's monthly invoice shall be presented in a format proposed by the Contractor and accepted by the Contracting Officer. Invoices shall be submitted by the 25th of each month for the previous month. Invoices shall be submitted to the Contracting Officer's designee. (This information will be provided upon award.)

Outage Report. The Contractor's monthly outage report will be presented in a format proposed by the Contractor and accepted by the Contracting Officer. Outage reports shall include the following information for Scheduled and Unscheduled outages:

Scheduled: Requestor, date, time, duration, facilities affected, feedback provided during outage, outage notification form number, and digging permit number. Digging Permits are required for all excavations over 6 inches in depth. Permits are available from the Work Management Branch, DPW, in Building 2200.

Unscheduled: Include date, time and duration, facilities affected, response time after notification, completion times, feedback provided at time of outage, specific item failure, probability of future failure, long term fix, and emergency digging clearance number. Outage reports shall be submitted by the 25th of each month for the previous month. Outage reports shall be submitted to the Contracting Officer's designee. (This information will be provided upon award.)

Meter Reading Report. The monthly meter reading report shall show the current and previous month readings for all secondary meters. The Contractor's monthly meter reading report will be prepared in the format proposed by the Contractor and accepted by the Contracting Officer. Meter reading reports shall be submitted by the 15th of each month for the previous month. Meter reading reports shall be submitted to the Contracting Officer's designee. (This information will be provided upon award.)

System Efficiency Report. If required by Paragraph C.3, the Contractor shall submit a system efficiency report in a format proposed by the Contractor and accepted by the Contracting Officer. System efficiency reports shall be submitted by the 25th of each month for the previous month. System efficiency reports shall be submitted to the Contracting Officer's designee. (This information will be provided upon award.)

J01.6 Energy Savings and Conservation Projects

IAW Paragraph C.3, Utility Service Requirement. No projects have been currently implemented by the Installation for energy conservation purposes.

J01.7 Service Area

IAW Paragraph C.4, Service Area. The service area is defined as the boundaries of Fort Leonard Wood. The Fort generally lies south of N715,000, of the Missouri state plane system; north of the Texas/Pulaski County line; west of the Phelps/Pulaski County line, and east of the Laclede/Pulaski County line.

J01.8 Off-Installation Sites

This package includes the Lake of the Ozarks Recreation Area (LORA), located about 50 miles north northwest of the Fort. The Lake of the Ozarks Recreation area is divided into North and South areas. There are also remote areas that are served by stand-alone wells. These areas include all wells listed in **Table 13** except the Indiana Well (AKA #1). Paragraphs J01.2.2, "Water Distribution System Non-Fixed Equipment and Specialized Tools Inventory"; J01.2.3, "Water Distribution System Manuals, Drawings, and Records Inventory"; and J01.5, "Monthly Submittals" apply to all of the following off-installation sites. In addition, there are no secondary meters or energy savings and conservation projects at any of the following sites that have not already been listed

Lake of the Ozarks – North (300 acres) Lake of the Ozarks – South (59.3 acres)

Lake of the Ozarks - North

This area is served by a groundwater well on site (Building 581) and an elevated storage tank.

Table 7
Fixed Inventory
Water Distribution System – Lake of the Ozarks – North

Item	Material	Size (inches)	Quantity	Unit	Approximate Year of Construction
Piping	Unknown	1	1,725	Linear Feet	Unknown
	Unknown	2	740	Linear Feet	Unknown
	PVC	2	325	Linear Feet	1985
	PVC	4	2,925	Linear Feet	1985
	PVC	6	16,275	Linear Feet	1985
Piping Total		·	21,990	Linear Feet	
Well (Bldg. 561)			86,400	Gallons per	1961
				day	
Elevated Tank	Steel		30,000	Gallons	1985
Hydrants – Fire			9	Each	1985
Hydrants - Yard			2	Each	Unknown
Building Services			50	Each	Unknown

Lake of the Ozarks – South

This area is served by its own groundwater well.

Table 8
Fixed Inventory

Water Distribution System Inventory – Lake of the Ozarks – South

Item	Material	Size (inches)	Quantity	Unit	Approximate Year of Construction
Piping	Unknown	Unknown	750	Linear Feet	Unknown
Piping Total			750	Linear Feet	
Building Services			6	Each	
Well (Bldg. 150)			28,000	Gallons per	1961
				day	

J01.9 Specific Transition Requirements

IAW Paragraph C.13, Operational Transition Plan. **Table 9** lists service connections and disconnections required upon transfer, and **Table 10** lists the improvement projects required upon transfer of the Fort Leonard Wood water system.

Table 9
Service Connections and Disconnections
Water Distribution System – Fort Leonard Wood

Location	Description
A.T	

None

Table 10 System Improvement Projects Water Distribution System – Fort Leonard Wood

Location	Description	Year of Completion
2200, 2300, 2400 and 2500 areas	Replace water distribution lines	2005
	7,600 feet of 8-inch	
	8,000 feet of 6-inch	
Ground Storage Tank (Bldg. 6503)	Repaint the 2,250,000 gallon ground storage tank	2004
Fire Hydrants	Replace 60 1940's era fire hydrants	2004
Fire Hydrants	Replace 60 1940's era fire hydrants	2005
Fire Hydrants	Replace 60 1940's era fire hydrants	2006
Southern section of Lake of the Ozarks	Replace 750 feet of waterline	2006
Recreation Area	_	
Raw water main	Replace 8,500 feet of 16-inch	2007
Raw water main	Replace 1,300 feet of 8-inch	2004

J01.10 Water Distribution System Points of Demarcation

The point of demarcation is defined as the point on the water distribution pipe where ownership changes from the Grantee to the building owner. The table below identifies the general locations of these points with respect to the building served.

Table 11 Points of Demarcation Water Distribution System – Fort Leonard Wood


Point of Demarcation	Applicable Scenario	Sketch
The point of	Structures with a service	
demarcation is the	meter	
customer side of the		
meter.		Building Meter Samira Line
		Supply Service Line
		Line
		<u> </u>
		Point of Demarcation
		Distribution
		Line/Main
The point of	Structures in which the	
demarcation is the	current owner wishes to	M. Birthe
provider side of the meter.	retain ownership of the meter.	Meter Distribution Pipe
meter.	meter.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		Structure
		Service Line
		Line
		Point of
		<u>Demarcation</u>
The point of	Structures without	
demarcation is 5 feet	meters	Distribution Line
away from the exterior of the structure.		Distribution Line
of the structure.		← 5'→
		Structure
		Service
		Line
		Point of Demarcation
		Distribution Line —

J01.10.1 Unique Points of Demarcation

The following table lists anomalous points of demarcation that do not fit any of the above scenarios.

Table 12
Unique Points of Demarcation

Water Distribution System – Fort Leonard Wood



J01.11 Treatment Plants, Wells, and Storage Tanks

The following table lists all water treatment plants, wells, and storage tanks.

Table 13 Water Treatment Plants, Wells, and Storage Tanks Water Distribution System – Fort Leonard Wood

Description	Facility #	State Coordinates	Other Information
Water Intake	10250	N629,900 E620,900	8.8 MGD
Water Treatment Plant	1601	N707,500 E604,200	6.0 MGD Design Flow
Ground Storage Tank	6503	N707,300 E604,200	2,250,000 gallons
4th Street Elevated Storage Tower	685	N701,500 E608,400	500,000 gallons
Airport Elevated Storage Tower	5123	N689,000 E603,900	500,000 gallons

8374	N707,300 E604,500	500,000 gallons
6507	N707,500 E604,000	864,000 gpd, 1010' deep
5293	N674,500 E600,500	30 gpm
5293A	N674,500 E600,500	60 gpm
5288	N688,000 E622,200	48,000 gpd
Not Assigned	N674,000 E599,000	Unknown
5252	N685,000 E588,000	22 gpm
12803	N688,500 E589,500	11,500 gpd (5-7 gpm)
10222	N691,700 E624,300	1962
1420	N687,000 E611,800	25 gpm, 600' deep, 1995
10309	N688,000 E622,000	1967
5417	N674,500 E593,500	115,000 gpd, 600' deep, 15hp,
		10"
10380 area	N687,000 E629,000	230' deep
5590	N671,000 E600,000	20 gpm, 500' deep
	6507 5293 5293A 5288 Not Assigned 5252 12803 10222 1420 10309 5417	6507 N707,500 E604,000 5293 N674,500 E600,500 5293A N674,500 E600,500 5288 N688,000 E622,200 Not Assigned N674,000 E599,000 5252 N685,000 E588,000 12803 N688,500 E589,500 10222 N691,700 E624,300 1420 N687,000 E611,800 10309 N688,000 E622,000 5417 N674,500 E593,500

J01.12 Utility Response

Service and Trouble calls. The Utility's 24-hour Service Office telephone number will be made available to key offices on the Installation. The Government office(s) responsible for coordinating service, trouble, and emergency calls will contact the Utility's Service Office to report any problems, outages, leaks, overflows, or request other service. Restoration of service shall be coordinated with the Government Office reporting the problem or service and person(s) responsible for the building or facility. Once work has started the work has to be continued to completion.

Scheduled Water/Wastewater Outages. Utility requests for scheduled outages shall be coordinated with the Directorate of Public Works and the facility manager/user five (5) working days prior to the scheduled outage. All reasonable effort will be made to minimize the facilities affected and the duration of the outage. The Government reserves the right to either disapprove a scheduled outage or to cancel at any time, before or during, a scheduled outage if such outage might adversely affect Government missions and operations. In the event of such disapproval or cancellation, the parties will coordinate a mutually acceptable alternative time for the scheduled outage. The Government may require the alternative time for the scheduled outage to be outside of normal working hours.

Emergency Work Directives during Normal Working Hours (7:30 a.m. - 4:30 p.m., Monday through Friday, excluding holidays). The Utility shall respond to emergency work directives and begin to work the problem within sixty (60) minutes of the report of the occurrence.

Emergency Work Directives (Outside of normal working hours). The Utility shall be able to respond to a emergency work directive outside of normal working hours and begin work on the problem within one hundred and twenty (120) minutes of the report of the occurrence. The Utility shall have in place a mechanism, a means, or procedure by which Fort Leonard Wood's DPW personnel can quickly notify the Utility of the emergency work. If there is an order of preference of phone numbers/Utility personnel to call, the Utility shall clearly define that precedence.

Routine Work Directives. The Utility shall respond to Routine Work Directives within 72 hours.